

## **3<sup>rd</sup> Edition Contents**

*Preface*

*Acknowledgements*

List of Abbreviations

List of Tables

List of Figures

### **Part I**

#### **The Potential of Primary Care**

##### **1 The Primary Care Behavioral Health Model: The “Why Now?” and “How?” (Updated!)**

1.1 Stressed Patients in a Stressed System

1.2 The Economic Angle

1.3 The Challenges in Mental Health: Barriers, Barriers, and More Barriers

1.4 The Primary Care Behavioral Health (PCBH) Model

1.4.1 A Brief History of Primary Care Behavioral Health

1.4.2 Defining Primary Care Behavioral Health

1.4.3 Primary Care Behavioral Health as a Population Health Approach

1.4.4 GATHER: The Essentials of Primary Care Behavioral Health

1.4.5 Movements and Approaches Influencing Primary Care Behavioral Health

1.4.6 The Consultant Approach

1.4.7 Stepped Care Approach

1.4.8 Self-management Approach

1.4.9 Single-session Therapy

1.5 The Patient-Centered Medical Home

1.6 Quintuple Aim

References

##### **2 A Primer on Primary Care**

2.1 Defining Primary Care

2.2 The Value of Primary Care

2.3 Providers and Management in Primary Care

2.3.1 Primary Care Providers

2.3.2 Nursing Staff

2.3.3 Support Staff

2.3.4 Administrators

- 2.4 The Capacity of Primary Care
- 2.5 Challenges and Changes in Primary Care
  - 2.5.1 Insufficient Primary Care Provider Workforce
  - 2.5.2 Underinvestment in Primary Care
  - 2.5.3 Fragmentation of Primary Care
  - 2.5.4 Value-based Care
  - 2.5.5 The Technology Burden
  - 2.5.6 Acquisitions of Primary Care Practices
- 2.6 As Primary Care Struggles, We Are All Less Healthy
- 2.7 Stay Current
- References

## **Part II**

### **The New Primary Care Team**

#### **3 Leadership and Starting Primary Care Behavioral Health Services**

- 3.1. Step 1: Form an Implementation Team
- 3.2. Step 2: Create a Training Plan
  - 3.2.1 Phase 1: Foundation Training for Primary Care and PCBH Staff
  - 3.2.2 Phase 2: Team-based Training
- 3.3 Step 3: Prepare to Evaluate the Program
  - 3.3.1 Patient Outcomes
  - 3.3.2 Access
  - 3.3.3 Satisfaction and Experience
  - 3.3.4 Cost-Neutrality
  - 3.3.5 Fidelity to the Model
- 3.4 Step 4: Anticipate Future Needs
  - 3.4.1 Internal Primary Care Behavioral Health Trainers
  - 3.4.2 Anticipate Change to Management Structure
  - 3.4.3 Flexible Fidelity
  - 3.4.4 Reward Innovation and Promote Play
- References

#### **4 Recruiting for the New Primary Care Team**

- 4.1 Primary Care Behavioral Health Roles
  - 4.1.1. Behavioral Health Consultant
  - 4.1.2 Behavioral Health Consultant 2
  - 4.1.3 Behavioral Health Care Extender
- 4.2 Hiring Behavioral Health Consultants
  - 4.2.1 Behavioral Health Consultants
  - 4.2.2 Tips for the Interview Team

- 4.3 Hiring Behavioral Health Care Extenders
  - 4.3.1 Tips for Interviewing Care Extenders
- 4.4 Orientation and Early Training
  - 4.4.1 Orientation to the PCBH Position
- 4.5 Job Performance Evaluation
- References

## **Part III**

### **Core Competencies for All**

## **5 Behavioral Health Consultant Core Competencies**

- 5.1 Behavioral Health Consultant Core Competency Ratings
- 5.2 Use of the Behavioral Health Consultant Tool
  - 5.2.1 Use of the Core Competency Tool by the Behavioral Health Consultant
  - 5.2.2 Use of the Core Competency Tool by Advanced BHCs
  - 5.2.3 Use of the Core Competency Tool by Clinic and Regional Leadership
- 5.3 Part A: Clinical Visit Structure
  - 5.3.1 Role definition
  - 5.3.2 Rapid agenda-setting
  - 5.3.3 Assessment
  - 5.3.4 Problem-focus
  - 5.3.5 Summary and formulation
  - 5.3.6. Uses evidence-based recommendations and interventions suitable for primary care for patients and primary care providers
  - 5.3.7 Clear visit structure
  - 5.3.8 Intervention design
  - 5.3.9 Intervention efficiency
  - 5.3.10 Time management
  - 5.3.11. Verbal consultative staffing
  - 5.3.12 Value-added recommendations
- 5.4 Part B: Team-Based Care
  - 5.4.1 Clinical productivity behaviors
  - 5.4.2 Consultant care structure
  - 5.4.3 Follow-up planning
  - 5.4.4 Risk management
  - 5.4.5 Community resource referrals
  - 5.2.6 Task-sharing
  - 5.2.7 Specialty mental health utilization
  - 5.4.8 Class-based services
  - 5.2.9 Pharmacotherapy
  - 5.4.10 Schedule management
  - 5.4.11 Concise, clear and timely charting using appropriate format
  - 5.4.12 Verbal consultative staffing
  - 5.4.13 Responsiveness and availability to PC team

- 5.4.14 Team-based care plan assistance
- 5.4.15 Care team coordination
- 5.4.16 Primary care team education
- 5.4.17 Fit with primary care context
- 5.4.18 Population-based care
- 5.4.19 PCBH policies and procedures

References

## **6 Team and Primary Care Provider Competencies**

6.1 Team and Primary Care Provider Core Competency Ratings

6.2 Use of the Team and PCP CCT

- 6.2.1 Use of the CCT Tool by Individual Team Members
- 6.2.2 Use of the CCT Tool by Primary Care Teams
- 6.2.3 Use of the CCT by a PCBH Trainer or Advanced BHC
- 6.2.4 Use of the Tool by Clinic and Regional Leadership

6.3 Competencies in Part A: Clinical Work

- 6.3.1 Provides information about PCBH services
- 6.3.2 Identifies specific focus for BHC Visit
- 6.3.3 Understands and supports BHC assessment surveys
- 6.3.4 Identifies and addresses risk, involving BHC as needed
- 6.3.5 Supports behavior change interventions
- 6.3.6 Encourages follow-up visits with the BHC

6.4 Competencies in Part B: Teamwork

- 6.4.1 Supports PCBH integrated care culture
- 6.4.2 Identifies patients for BHC service
- 6.4.3 Uses warm handoff (WHO) skillfully
- 6.4.4 Uses BHC services to improve team efficiency
- 6.4.5 Uses BHC to improve patient experience in clinic visits
- 6.4.6 Uses BHC to optimize outcomes associated with prescribing medications
- 6.4.7 Uses stepped care approach in working with BHC
- 6.4.8 Uses task-sharing strategies with BHC
- 6.4.9 Supports class services that address behavior change
- 6.4.10 Uses PCBH metrics to improve outcomes of integrated care
- 6.4.11 Participates in professional development to broaden BH knowledge and skills

References

## **Part IV**

### **A New Healthcare Profession: Behavioral Health Consultation**

## **7 Preparing to Deliver Behavioral Health Consultation Services**

7.1 Educating the Team

- 7.1.1 GATHER The Essentials of PCBH
- 7.1.2 Other Preparations to Support Team Learning

- 7.2 Educating Patients
- 7.3 Location and Supplies
- 7.4 The Electronic Health Record
- 7.5 Quality Assurance and BHC Charting
- 7.6 Scheduling BHC Visits
- 7.7 BHC Visits and Billing Codes
- 7.8 Measures for BHC Visits
  - 7.8.1 Routine Measures for Adults
  - 7.8.2 Routine Measures for Children and Youth
- 7.9 Preparing a Practical Learning Plan for Start Up
- References

## **8 A Start-Up Checklist for New Behavioral Consultants**

- 8.1 Weeks 1-2: Get the Lay of the Land and Say “Yes”
  - 8.1.1 Corporate On-boarding and Work Essentials
  - 8.1.2 Meeting Leadership and Key Clinic Personnel
  - 8.1.3 Shadowing Clinic Staff
  - 8.1.4 Shadowing BHCs and Starting PCBH Training
  - 8.1.5 Connect with Nonclinical Staff and Community Partners
- 8.2 Weeks 3-4: Be a Primary Care Influencer
  - 8.2.1 Communicate
  - 8.2.2 Collaborate
  - 8.2.3 Implementation Team
  - 8.2.4 Reflect on Professional Growth
  - 8.2.5 Connect with Non-clinical Staff and Community Partners
- 8.3 Week 5 and Beyond: Evaluate, Expand, and Evolve
  - 8.3.1 Initiate PCBH Pathway and Class-based Services
  - 8.3.2 Identify Barriers to Using Behavioral Health Consultant Services
  - 8.3.3 Address Barriers to Using Behavioral Health Consultant Services
- 8.4 A Checklist for New BHCs Starting Service in an Established PCBH Clinic
  - 8.4.1 BHCs Replacing a Departing or Departed BHC
  - 8.4.2 BHCs Joining a Clinic to Scale Up BHC Services
- References

## **9 Assessment and Intervention in Primary Care Behavioral Health**

- 9.1 A Structure for Assessment and Intervention
- 9.2 Examples of Two Approaches to Structure PCBH Visits
  - 9.2.1 New Zealand
  - 9.2.2 United States Department of Defense
- 9.3 Focused Assessment and Commitment Therapy
  - 9.3.1 Why is Psychological Flexibility Important to Well-being?
  - 9.3.2 FACT Foundations

- 9.3.3 Common FACT Interventions
- 9.3.4 FACT for All: FACT Interventions for Children, Youth and Families
- 9.3.5 FACT Quick Reference Guide
- 9.3.6 FACT for PCPs and the Primary Care Team
- 9.4 Cognitive Behavioral Therapy
  - 9.4.1 Cognitive Behavioral Therapy Quick Reference Guide
- 9.5 Educational Interventions for the Team
- 9.6 Electronic-based Interventions
- References

## **10 Primary Care Behavioral Health Pathways and Class-based Services**

- 10.1 Primary Care Behavioral Health Pathways
  - 10.1.1 Related Terms
  - 10.1.2 Reaching More People: The Purpose of a Pathway
  - 10.1.3 Common Misunderstandings about Pathways
  - 10.1.4 Challenges to Creating and Implementing Pathways
- 10.2 Ten Steps to Creating PCBH Pathways
  - 10.2.1 Identify a Specific Population
  - 10.2.2 Create a Pathway Team
  - 10.2.3 Describe Current Practices
  - 10.2.4 Review Evidence for Improving Care
  - 10.2.5 Cost-out Options
  - 10.2.6 Develop a Pathway Summary
  - 10.2.7 Describe Goals and Measurement Strategies
  - 10.2.8 Pilot and Revise the Pathway
  - 10.2.9 Disseminate
  - 10.2.10 Reflect, Review, Revise
- 10.3 A PCBH Pathway Example
- 10.4 PCBH Pathways and Class-based Services
- 10.5 Class-based Services
  - 10.5.1 Class-based Services: The Details
  - 10.5.2 Class-based Services: Formats
- References

### **Part V**

## **The Advanced Behavioral Health Consultant**

### **11 Advanced Behavioral Health Consultant Roles and Responsibilities**

- 11.1 Career Progression Pathways for Behavioral Health Consultants
- 11.2 The First Step in Advancement: Excellence in PCBH Essentials
- 11.3 Leadership Skills for the Behavioral Health Consultant 2

- 11.4 Implementation Skills for the Behavioral Health Consultant 2
  - 11.4.1 Management and Clinical Supervision
  - 11.4.2 Program Evaluation
- 11.5 Skills for a BHC 2 Progressing Toward a Training Role
  - 11.5.1 Content for BHC 2 Trainers
  - 11.5.2 Flexible Formats for BHC 2 Trainers
  - 11.5.3 Methods for BHC 2 Trainers
- 11.6 PCBH Training Innovations
  - 11.6.1 The Behavioral Health Consultant 3 (BHC Master Trainer)
  - 11.6.2 E-GATHER
  - 11.6.3 Credentialing of Behavioral Health Consultants
- References

## **12 A Day in the Life of an Advanced Behavioral Health Consultant**

- 12.1 Monday Morning
- 12.2 Monday Afternoon

### **Part VI**

#### **Working the Puzzles of Integrated Care**

## **13 Frequently Asked Questions: Asked and Answered**

- 13.1 My appointments are booked out a few weeks, and patients can't get appointments when they want them. What should I do?
- 13.2 What billing codes are used in PCBH?
- 13.3 Why are we called "consultants" rather than "therapists"?
- 13.4 Can a BHC do couples therapy? Family therapy?
- 13.5 Are there certain topics that a BHC should not discuss with patients?
- 13.6 A lot of my patients report a history of trauma. Do I need to refer them to specialty mental health?
- 13.7 How can a BHC treat trauma?
- 13.8 Is PCBH treatment inferior to specialty mental health treatment? Am I giving patients less than what they should be getting?
- 13.9 When should I refer a patient to specialty mental health?
- 13.10 What is the best way to refer patients to specialty mental health?
- 13.11 How do I handle patients who don't follow through as planned on a referral to specialty care?
- 13.12 Can I see a patient who is being seen in specialty MH?
- 13.13 When do I need to assess depression symptoms?
- 13.14 What is a warm handoff?
- 13.15 How long are same-day visits that come from warm handoffs?

13.16 Do I have to be trained in behavior therapy or cognitive behavior therapy in order to be a BHC?

13.17 Don't I need more than 30 minutes in visits to establish rapport with patients?

13.18 How many patients should a BHC see per day?

13.19 How many BHCs are needed in a given clinic?

13.20 When should I follow-up with a patient?

13.21 How can I boost referrals from PCPs who rarely, if ever, send me patients?

13.22 I want to start a PCBH pathway but I'm not sure what – do you have an idea for me?

References

## **14 Our Top 10 Tips for Implementers**

14.1 Top Tip #1: Know What You Want.

14.2 Top Tip #2. Give Clear Guidance.

14.3 Top Tip #3. Measure Twice, Cut Once.

14.4 Top Tip #4. pcBH or PCBH?

14.5 Top Tip #5. Be Flexible.

14.6 Top Tip #6. Think Like Primary Care.

14.7 Top Tip #7. Seize the Moment.

14.8 Top Tip #8. Tend to your Template.

14.9 Top Tip #9. Leave the Diagnosis at the Door.

14.10 Top Tip #10. Believe in the Power of Primary Care.